THE UNIVERSAL EDITION OF JOHN RUSKIN'S WORKS

The Illustrations and Plates are throughout printed on Art Paper.

The other Works to follow in course.

THE ELEMENTS OF
PERSPECTIVE

By
JOHN RUSKIN

With 80 *Figures*

LONDON
GEORGE ROUTLEDGE & SONS Limited
New York: E. P. DUTTON & CO

PREFACE

FOR some time back I have felt the want, among Students of Drawing, of a written code of accurate Perspective Law ; the modes of construction in common use being various, and, for some problems, insufficient. It would have been desirable to draw up such a code in popular language, so as to do away with the most repulsive difficulties of the subject ; but finding this popularization would be impossible, without elaborate figures and long explanations, such as I had no leisure to prepare, I have arranged the necessary rules in a short mathematical form, which any schoolboy may read through in a few days, after he has mastered the first three and the sixth books of Euclid.

Some awkward compromises have been admitted between the first-attempted popular explanation, and the severer arrangement, involving irregular lettering and redundant phraseology ; but I cannot for

the present do more, and leave the book therefore to its trial, hoping that, if it be found by masters of schools to answer its purpose, I may hereafter bring it into better form [1].

An account of practical methods, sufficient for general purposes of sketching, might indeed have been set down in much less space : but if the student reads the following pages carefully, he will not only find himself able, on occasion, to solve perspective problems of a complexity greater than the ordinary rules will reach, but obtain a clue to many important laws of pictorial effect, no less than of outline. The subject thus examined becomes, at least to my mind, very curious and interesting ; but, for students who are unable or unwilling to take it up in this abstract form, I believe good help will

---

[1] Some irregularities of arrangement have been admitted merely for the sake of convenient reference ; the eighth problem, for instance, ought to have been given as a case of the seventh, but is separately enunciated on account of its importance.

Several constructions, which ought to have been given as problems, are on the contrary given as corollaries, in order to keep the more directly connected problems in closer sequence ; thus the construction of rectangles and polygons in vertical planes would appear by the Table of Contents to have been omitted, being given in the corollary to Problem IX.

be soon furnished, in a series of illustrations of practical perspective now in preparation by Mr Le Vengeur. I have not seen this essay in an advanced state, but the illustrations shown to me were very clear and good ; and, as the author has devoted much thought to their arrangement, I hope that his work will be precisely what is wanted by the general learner.

Students wishing to pursue the subject into its more extended branches will find, I believe, Cloquet's treatise the best hitherto published [1].

[1] *Nouveau Traité Élémentaire de Perspective.* Bachelier, 1823.

CONTENTS

ix

CONTENTS

CONTENTS

PROBLEM XX

APPENDIX

I

II

THE ELEMENTS

INTRODUCTION

WHEN you begin to read this book, sit down very near the window, and shut the window. I hope the view out of it is pretty; but, whatever the view may be, we shall find enough in it for an illustration of the first principles of perspective (or, literally, of 'looking through').

Every pane of your window may be considered, if you choose, as a glass picture; and what you see through it, as painted on its surface.

And if, holding your head still, you extend your hand to the glass, you may, with a brush full of any thick colour, trace, roughly, the lines of the landscape on the glass.

But, to do this, you must hold your head very still. Not only you must not move it sideways, nor up and down, but it must not even move backwards or forwards; for, if you move your head forwards, you will see *more* of the landscape through the pane; and, if you move it backwards, you will see *less :* or considering the pane of glass as a picture, when you hold your head near it,

the objects are painted small, and a great many of them go into a little space ; but, when you hold your head some distance back, the objects are painted larger upon the pane, and fewer of them go into the field of it.

But, besides holding your head still, you must, when you try to trace the picture on the glass, shut one of your eyes. If you do not, the point of the brush appears double ; and, on farther experiment, you will observe that each of your eyes sees the object in a different place on the glass, so that the tracing which is true to the sight of the right eye is a couple of inches (or more, according to your distance from the pane) to the left of that which is true to the sight of the left.

Thus, it is only possible to draw what you see through the window rightly on the surface of the glass, by fixing one eye at a given point, and neither moving it to the right nor left, nor up nor down, nor backwards nor forwards. Every picture drawn in true perspective may be considered as an upright piece of glass [1], on which the objects seen through it have been thus drawn. Perspective can, therefore, only be quite right, by being calculated for one fixed

---

[1] If the glass were not upright, but sloping, the objects might still be drawn through it, but their perspective would then be different. Perspective, as commonly taught, is always calculated for a vertical plane of picture.

position of the eye of the observer ; nor will
it ever appear *deceptively* right unless seen
precisely from the point it is calculated for.
Custom, however, enables us to feel the
rightness of the work on using both our eyes,
and to be satisfied with it, even when we
stand at some distance from the point it is
designed for.

Supposing that, instead of a window, an
unbroken plate of crystal extended itself to
the right and left of you, and high in front,
and that you had a brush as long as you
wanted (a mile long, suppose), and could
paint with such a brush, then the clouds
high up, nearly over your head, and the land-
scape far away to the right and left, might
be traced, and painted, on this enormous
crystal field [1]. But if the field were so vast
(suppose a mile high and a mile wide), cer-
tainly, after the picture was done, you would
not stand as near to it, to see it, as you are
now sitting near to your window. In order
to trace the upper clouds through your great
glass, you would have had to stretch your
neck quite back, and nobody likes to bend
their neck back to see the top of a picture.
So you would walk a long way back to see
the great picture—a quarter of a mile, per-
haps—and then all the perspective would be
wrong, and would look quite distorted, and
you would discover that you ought to have

[1] Supposing it to have no thickness ; otherwise the
images would be distorted by refraction.

painted it from the greater distance, if you
meant to look at it from that distance.
Thus, the distance at which you intend the
observer to stand from a picture, and for
which you calculate the perspective, ought
to regulate to a certain degree the size of the
picture. If you place the point of observ-
ation near the canvas, you should not
make the picture very large : *vice versâ*, if
you place the point of observation far from
the canvas, you should not make it very
small ; the fixing, therefore, of this
point of observation determines, as a mat-
ter of convenience, within certain limits,
the size of your picture. But it does not
determine this size by any perspective
law ; and it is a mistake made by many
writers on perspective, to connect some of
their rules definitely with the size of the
picture. For, suppose that you had what
you now see through your window painted
actually upon its surface, it would be quite
optional to cut out any piece you chose, with
the piece of the landscape that was painted
on it. You might have only half a pane,
with a single tree ; or a whole pane, with
two trees and a cottage ; or two panes, with
the whole farmyard and pond ; or four panes
with farmyard, pond, and foreground. And
any of these pieces, if the landscape upon
them were, as a scene, pleasantly composed,
would be agreeable pictures, though of quite
different sizes ; and yet they would be all

calculated for the same distance of observation.

In the following treatise, therefore, I keep the size of the picture entirely undetermined. I consider the field of canvas as wholly unlimited, and on that condition determine the perspective laws. After we know how to apply those laws without limitation, we shall see what limitations of the size of the picture their results may render advisable.

But although the size of the *picture* is thus independent of the observer's distance, the size of the *object represented* in the picture is not. On the contrary, that size is fixed by absolute mathematical law ; that is to say, supposing you have to draw a tower a hundred feet high, and a quarter of a mile distant from you, the height which you ought to give that tower on your paper depends, with mathematical precision, on the distance at which you intend your paper to be placed. So, also, do all the rules for drawing the form of the tower, whatever it may be.

Hence, the first thing to be done in beginning a drawing is to fix, at your choice, this distance of observation, or the distance at which you mean to stand from your paper. After that is determined, all is determined, except only the ultimate size of your picture, which you may make greater, or less, not by altering the size of the things represented, but by *taking in more, or fewer* of them.

So, then, before proceeding to apply any practical perspective rule, we must always have our distance of observation marked, and the most convenient way of marking it is the following.

PLACING OF THE SIGHT-POINT, SIGHT-LINE, STATION-POINT, AND STATION-LINE

FIG. 1

I. THE SIGHT-POINT.—Let A B C D, Fig. 1, be your sheet of paper, the larger the better, though perhaps we may cut out of it at last only a small piece for our picture, such as the dotted circle N O Q P. This circle is not intended to limit either the size or shape of our picture : you may ultimately have it round or oval, horizontal or upright, small or large, as you choose. I only dot the line to give you an idea of whereabouts you will probably like to have it ; and, as the operations of perspective are more conveniently performed upon paper underneath the

picture than above it, I put this conjectural circle at the top of the paper, about the middle of it, leaving plenty of paper on both sides and at the bottom. Now, as an observer generally stands near the middle of a picture to look at it, we had better at first, and for simplicity's sake, fix the point of observation opposite the middle of our conjectural picture. So take the point s, the centre of the circle N O Q P —or, which will be simpler for you in your own work, take the point s at random near the top of your paper, and strike the circle N O Q P round it, any size you like. Then the point s is to represent the point *opposite* which you wish the observer of your picture to place his eye, in looking at it. Call this point the 'Sight-Point'.

II. THE SIGHT-LINE.—Through the Sightpoint, s, draw a horizontal line, G H, right across your paper from side to side, and call this line the 'Sight-Line'.

This line is of great practical use, representing the level of the eye of the observer all through the picture. You will find hereafter that if there is a horizon to be represented in your picture, as of distant sea or plain, this line defines it.

III. THE STATION-LINE.—From s let fall a perpendicular line, s R, to the bottom of the paper, and call this line the 'Station-Line'.

This represents the line on which the observer stands, at a greater or less distance from the picture ; and it ought to be *imagined* as drawn right out from the paper at the point s. Hold your paper upright in front of you, and hold your pencil horizontally, with its point against the point s, as if you wanted to run it through the paper there, and the pencil will represent the direction in which the line s ʀ ought to be drawn. But as all the measurements which we have to set upon this line, and operations which we have to perform with it, are just the same when it is drawn on the paper itself, below s, as they would be if it were represented by a wire in the position of the levelled pencil, and as they are much more easily performed when it is drawn on the paper, it is always, in practice, so drawn.

IV. THE STATION-POINT.—On this line, mark the distance s ᴛ at your pleasure, for the distance at which you wish your picture to to be seen, and call the point ᴛ the ' Station-Point '.

In practice, it is generally advisable to make the distance s ᴛ about as great as the diameter of your intended picture ; and it should, for the most part, be more rather than less ; but, as I have just stated, this is quite arbitrary. However, in this figure, as an approximation to a generally advisable distance, I make the distance s ᴛ equal to

the diameter of the circle N O Q P. Now,
having fixed this distance, S T, all the dimen-
sions of the objects in our picture are fixed
likewise, and for this reason :

Let the upright line A B, Fig. 2, represent
a pane of glass placed where our picture is to

FIG. 2

be placed ; but seen at the side of it, edge-
ways ; let S be the Sight-point ; S T the
Station-line, which, in this figure, observe,
is in its true position, drawn out from the
paper, not down upon it ; and T the Station-
point.

Suppose the Station-line S T to be con-
tinued, or in mathematical language 'pro-
duced', through S, far beyond the pane of
glass, and let P Q be a tower or other upright
object situated on or above this line.

Now the *apparent* height of the tower P Q
is measured by the angle Q T P, between the
rays of light which come from the top and
bottom of it to the eye of the observer.
But the *actual* height of the *image* of the

tower on the pane of glass A B, between us
and it, is the distance P′ Q′, between the
points where the rays traverse the glass.

Evidently, the farther from the point T we
place the glass, making S T longer, the larger
will be the image ; and the nearer we place
it to T, the smaller the image, and that in a
fixed ratio. Let the distance D T be the
direct distance from the Station-point to the
foot of the object. Then, if we place the
glass A B at one third of that whole distance,
P′ Q′ will be one third of the real height of the
object ; if we place the glass at two thirds
of the distance, as at E F, P ″ Q ″ (the height
of the image at that point) will be two thirds
the height [1] of the object, and so on. There-
fore the mathematical law is that P′ Q′ will
be to P Q as S T to D T. I put this ratio
clearly by itself that you may remember it :

$$P′ Q′ : P Q :: S T : D T$$

or in words :

P dash Q dash is to P Q as S T to D T

In which formula, recollect that P′ Q′ is the
height of the appearance of the object on the
picture ; P Q the height of the object itself ;
S the Sight-point : T the Station-point ; D
a point at the direct distance of the object ;
though the object is seldom placed actually

[1] I say ' height ' instead of ' magnitude ', for a
reason stated in Appendix I, to which you will soon
be referred. Read on here at present.

on the line T S produced, and may be far
to the right or left of it, the formula is still
the same.

For let S, Fig. 3, be the Sight-point, and
A B the glass—here seen looking *down* on its
upper edge, not sideways ; then if the tower
(represented now, as on a map, by the dark

FIG. 3

square), instead of being at D on the line S T
produced, be at E, to the right (or left) of the
spectator, still the apparent height of the
tower on A B will be as S′ T to E T, which is
the same ratio as that of S T to D T.

Now in many perspective problems, the
position of an object is more conveniently
expressed by the two measurements D T and

D E, than by the single oblique measurement E T.

I shall call D T the 'direct distance' of the object at E, and D E its 'lateral distance'. It is rather a licence to call D T its 'direct' distance, for E T is the more direct of the two ; but there is no other term which would not cause confusion.

Lastly, in order to complete our knowledge of the position of an object, the vertical height of some point in it, above or below the eye, must be given; that is to say, either D P or D Q in Fig. 2 [1] : this I shall call the 'vertical distance' of the point given. In all perspective problems these three distances and the dimensions of the object, must be stated, otherwise the problem is imperfectly given. It ought not to be required of us merely to draw *a* room or *a* church in perspective ; but to draw *this* room from *this* corner, and *that* church on *that* spot, in perspective. For want of knowing how to base their drawings on the measurement and place of the object, I have known practised students represent a parish church certainly in true perspective, but with a nave about two miles and a half long.

It is true that in drawing landscapes from nature the sizes and distances of the objects

[1] P and Q being points indicative of the place of the tower's base and top. In this figure both are above the sight-line ; if the tower were below the spectator both would be below it, and therefore measured below D.

cannot be accurately known. When, however, we know how to draw them rightly,
if their size were given, we have only to
assume a rational approximation to their
size, and the resulting drawing will be true
enough for all intents and purposes. It
does not in the least matter that we represent a distant cottage as eighteen feet
long, when it is in reality only seventeen ;
but it matters much that we do not represent it as eighty feet long, as we easily
might if we had not been accustomed to
draw from measurement. Therefore, in all
the following problems the measurement
of the object is given.

The student must observe, however, that
in order to bring the diagrams into convenient compass, the measurements assumed
are generally very different from any likely
to occur in practice. Thus, in Fig. 3, the
distance D S would be probably in practice
half a mile or a mile, and the distance T S,
from the eye of the observer to the paper,
only two or three feet. The mathematical
law is however precisely the same, whatever
the proportions ; and I use such proportions
as are best calculated to make the diagram
clear.

Now, therefore, the conditions of a perspective problem are the following :

The Sight-line G H given, Fig. 1 ;

The Sight-point S given ;

The Station-point T given ; and

The three distances of the object [1], direct,
lateral, and vertical, with its dimensions,
given.

The size of the picture, conjecturally
limited by the dotted circle, is to be deter-
mined afterwards at our pleasure.   On these
conditions I proceed at once to construction.

[1] More accurately, 'the three distances of any
point, either in the object itself, or indicative of its
distance'.

PROBLEM I

FIG. 4

LET P, Fig. 4, be the given point.

Let its direct distance be D T; its lateral distance to the left, D C; and vertical distance *beneath* the eye of the observer, C P.

[1] More accurately, 'To fix on the plane of the picture the apparent position of a point given in actual position'. In the headings of all the following problems the words 'on the plane of the picture' are to be understood after the words 'to draw'. The plane of the picture means a surface extended indefinitely in the direction of the picture.

17   C

[Let G H be the Sight-line, s the Sight-point, and T the Station-point.][1]

It is required to fix on the plane of the picture the position of the point P.

———

Arrange the three distances of the object on your paper, as in Fig. 4[2].

Join C T, cutting G H in Q.

From Q let fall the vertical line Q P'.

Join P T, cutting Q P' in P'.

P' is the point required.

If the point P is *above* the eye of the observer instead of below it, C P is to be measured upwards from C, and Q P' drawn upwards from Q. The construction will be as in Fig. 5.

And if the point P is to the right instead of the left of the observer, D C is to be measured to the right instead of the left.

The figures 4 and 5, looked at in a mirror, will show the construction of each, on that supposition.

[1] The sentence within brackets will not be repeated in succeeding statements of problems. It is always to be understood.

[2] In order to be able to do this, you must assume the distances to be small; as in the case of some object on the table: how large distances are to be treated you will see presently; the mathematical principle, being the same for all, is best illustrated first on a small scale. Suppose, for instance, P to be the corner of a book on the table, seven inches below the eye, five inches to the left of it, and a foot and a half in advance of it, and that you mean to hold your finished drawing at six inches from the eye; then T S will be six inches, T D a foot and a half, D C five inches, and C P seven.

Now read very carefully the examples and notes to this problem in Appendix I

FIG. 5

(page 87). I have put them in the Appendix in order to keep the sequence of following problems more clearly traceable here in the text ; but you must read the first Appendix before going on.

PROBLEM II

TO DRAW A RIGHT LINE BETWEEN TWO GIVEN POINTS.

FIG. 6

LET A B, Fig. 6, be the given right line, joining the given points A and B.

Let the direct, lateral, and vertical distances of the point A be T D, D C, and C A.

Let the direct, lateral, and vertical distances of the point B be T D′, D C′, and C′ B.

Then, by Problem I, the position of the point A on the plane of the picture is *a*.

And similarly, the position of the point B on the plane of the picture is *b*.

Join *a b*.

Then *a b* is the line required.

COROLLARY I

If the line A B is in a plane parallel to that of the picture, one end of the line A B

FIG. 7

must be at the same direct distance from the eye of the observer as the other.

Therefore, in that case, D T is equal to D' T.

Then the construction will be as in Fig.

7 ; and the student will find experimentally that *a b* is now parallel to A B [1].

And that *a b* is to A B as T S is to T D.

Therefore, to draw any line in a plane parallel to that of the picture, we have only to fix the position of one of its extremities, *a* or *b*, and then to draw from *a* or *b* a line parallel to the given line, bearing the proportion to it that T S bears to T D.

COROLLARY II

If the line A B is in a horizontal plane

FIG. 8

the vertical distance of one of its extremities must be the same as that of the other.

---

[1] For by the construction A T : *a* T :: B T : *b* T; and therefore the two triangles A B T, *a b* T (having a common angle A T B) are similar.

Therefore, in that case, A C equals B C′ (Fig. 6).

And the construction is as in Fig. 8.

In Fig. 8. produce *a b* to the sight-line, cutting the sight-line in V; the point V, thus determined, is called the VANISHING-POINT of the line A B.

Join T V. Then the student will find experimentally that T V is parallel to A B [1].

COROLLARY III

If the line A B produced would pass through some point beneath or above the station-point, C D is to D T as C′ D′ is to D′ T; in which cases the point *c* coincides with the point *c′*, and the line *a b* is vertical.

Therefore every vertical line in a picture is, or may be, the perspective representation of a horizontal one which, produced, would pass beneath the feet or above the head of the spectator [2].

[1] The demonstration is in Appendix II, Article I.
[2] The reflection in water of any luminous point or isolated object (such as the sun or moon) is therefore, in perspective, a vertical line ; since such reflection, if produced, would pass under the feet of the spectator. Many artists (Claude among the rest) knowing something of optics, but nothing of perspective, have been led occasionally to draw such reflections towards a point at the centre of the base of the picture.

PROBLEM III

TO FIND THE VANISHING-POINT OF A GIVEN HORIZONTAL LINE

FIG. 9

LET A B, Fig. 9, be the given line.

From T, the station-point, draw T V parallel to A B, cutting the sight-line in V.

V is the Vanishing-point required [1].

[1] The student will observe, in practice, that, his paper lying flat on the table, he has only to draw the line T V on its horizontal surface, parallel to the given horizontal line A B. In the theory, the paper should be vertical, but the station-line S T horizontal (see its definition above, page 10); in which case T V, being drawn parallel to A B, will be horizontal also, and still cut the sight-line in V.

The construction will be seen to be founded on the second Corollary of the preceding problem.

It is evident that if any other line, as M N in Fig. 9,

COROLLARY I

As, if the point *b* is first found, v may
be determined by it, so, if the point v is first

FIG. 10

parallel to A B, occurs in the picture, the line T V,
drawn from T, parallel to M N, to find the vanishing-
point of M N, will coincide with the line drawn from T,
parallel to A B, to find the vanishing-point of A B.

Therefore A B and M N will have the same vanishing-
point.

Therefore all parallel horizontal lines have the same
vanishing-point.

It will be shown hereafter that all parallel *in-
clined* lines also have the same vanishing-point ; the
student may here accept the general conclusion :
' *All parallel lines have the same vanishing-point* '.

It is also evident that if A B is parallel to the plane
of the picture, T V must be drawn parallel to G H, and
will therefore never cut G H. The line A B has in that
case no vanishing-point : it is to be drawn by the
construction given in Fig. 7.

It is also evident that if A B is at right angles with
the plane of the picture, T V will coincide with T S,
and the vanishing-point of A B will be the sight-point.

found, *b* may be determined by it. For let A B, Fig. 10, be the given line, constructed upon the paper as in Fig. 8 ; and let it be required to draw the line *a b* without using the point c'.

Find the position of the point A in *a* (Problem I).

Find the vanishing-point of A B in v (Problem III).

Join *a* v.

Join B T, cutting *a* v in *b*.

Then *a b* is the line required [1].

COROLLARY II

We have hitherto proceeded on the supposition that the given line was small enough, and near enough, to be actually drawn on our paper of its real size ; as in the example given in Appendix I. We may, however, now deduce a construction available under all circumstances, whatever may be the distance and length of the line given.

From Fig. 8 remove, for the sake of clearness, the lines c' D', *b* v, and T v ; and, taking the figure as here in Fig. 11, draw from *a*, the line *a* R parallel to A B, cutting B T in R.

Then *a* R is to A B as *a* T is to A T.

        — as *c* T is to C T.

        — as T S is to T D.

---

[1] I spare the student the formality of the *reductio ad absurdum*, which would be necessary to prove this.

FIG. 11

That is to say, a R is the sight-magnitude of A B [1].

FIG. 12

[1] For definition of Sight-Magnitude, see Appendix

Therefore, when the position of the point A is fixed in *a*, as in Fig. 12, and *a* V is drawn to the vanishing point ; if we draw a line *a* R from *a*, parallel to A B, and make *a* R equal to the sight-magnitude of A B, and then join R T, the line R T will cut *a* V in *b*.

So that, in order to determine the length of *a b*, we need not draw the long and distant line A B, but only *a* R parallel to it, and of its sight-magnitude ; which is a great gain, for the line A B may be two miles long, and the line *a* R perhaps only two inches.

COROLLARY III

In Fig. 12, altering its proportions a little for the sake of clearness, and putting it as

FIG. 13

I. It ought to have been read before the student comes to this problem ; but I refer to it in case it has not.

here in Fig. 13, draw a horizontal line *a* R′ and make *a* R′ equal to *a* R.

Through the points R and *b* draw R′ M, cutting the sight-line in M. Join T V. Now the reader will find experimentally that V M is equal to V T [1].

Hence it follows that, if from the vanishing-point V we lay off on the sight-line a distance, V M, equal to V T; then draw through *a* a horizontal line *a* R′, make *a* R′ equal to the sight-magnitude of A B, and join R′ M; the line R′ M will cut *a* V in *b*. And this is in practice generally the most convenient way of obtaining the length of *a b*.

COROLLARY IV

Removing from the preceding figure the unnecessary lines, and retaining only R′ M and *a* V, as in Fig. 14, produce the line *a* R′ to the other side of *a*, and make *a* X equal to *a* R′.

Join X *b*, and produce X *b* to cut the line of sight in N.

Then as X R′ is parallel to M N, and *a* R′ is equal to *a* X, V N must, by similar triangles, be equal to V M (equal to V T in Fig. 13).

Therefore, on whichever side of V we

---

[1] The demonstration is in Appendix II, Article II, p. 124.

measure the distance v т, so as to obtain
either the point м, or the point n, if we mea-
sure the sight-magnitude *a* r′ or *a* x on the
opposite side of the line *a* v, the line joining
r′ м or x n will equally cut *a* v in *b*.

FIG. 14

The points м and n are called the ' Divid-
ing-Points ' of the original line a b (Fig. 12),
and we resume the results of these corollaries
in the following three problems.

PROBLEM IV

TO FIND THE DIVIDING-POINTS OF A GIVEN HORIZONTAL LINE

FIG. 15

LET the horizontal line A B (Fig. 15) be given in position and magnitude. It is required to find its dividing-points.

Find the vanishing-point V of the line A B.

With centre V and distance V T, describe circle cutting the sight-line in M and N.

Then M and N are the dividing-points required.

In general, only one dividing-point is needed for use with any vanishing-point, namely, the one nearest S (in this case the point M). But its opposite N, or both, may be needed under certain circumstances.

PROBLEM V

TO DRAW A HORIZONTAL LINE, GIVEN IN POSITION AND MAGNITUDE, BY MEANS OF ITS SIGHT-MAGNITUDE AND DIVIDING-POINTS

FIG. 16

LET A B (Fig. 16) be the given line.

Find the position of the point A in *a*.

Find the vanishing-point v, and most convenient dividing-point M, of the line A B.

Join *a* v.

Through *a* draw a horizontal line *a b'* and make *a b'* equal to the sight-magnitude of A B. Join *b'* M, cutting *a* v in *b*.

Then *a b* is the line required.

COROLLARY I

Supposing it were now required to draw a line A C (Fig. 17) twice as long as A B, it is

FIG. 17

evident that the sight-magnitude *a c'* must be twice as long as the sight-magnitude *a b'*; we have, therefore, merely to continue the horizontal line *a b'*, make *b' c'* equal to *a b'*, join *c* M', cutting *a* V in *c*, and *a c* will be the line required. Similarly, if we have to draw a line A D, three times the length of A B, *a d'* must be three times the length of *a b'*, and, joining *d'* M, *a d* will be the line required.

The student will observe that the nearer the portions cut off, *b c, c d,* etc., approach the point V, the smaller they become; and, whatever lengths may be added to the line A D, and successively cut off from *a* V, the

D

line *a* v will never be cut off entirely, but the
portions cut off will become infinitely small,
and apparently ' vanish' as they approach
the point v ; hence this point is called the
' vanishing ' point.

COROLLARY II

It is evident that if the line A D had been
given originally, and we had been required
to draw it, and divide it into three equal
parts, we should have had only to divide its
sight-magnitude, *a d'*, into the three equal
parts, *a b'*, *b' c'*, and *c' d'*, and then, drawing
to M from *b'* and *c'*, the line *a d* would have
been divided as required in *b* and *c*.   And
supposing the original line A D be divided
irregularly into any number of parts, if the
line *a d'* be divided into a similar number in
the same proportions (by the construction
given in Appendix I), and, from these points
of division, lines are drawn to M, they will
divide the line *a d* in true perspective into
a similar number of proportionate parts.

The horizontal line drawn through *a*,
on which the sight-magnitudes are measured,
is called the ' MEASURING-LINE '.

And the line *a d*, when properly divided in
b and *c*, or any other required points, is said
to be divided ' IN PERSPECTIVE RATIO ' to
the divisions of the original line A D.

If the line *a* v is above the sight-line instead

of beneath it, the measuring-line is to be
drawn above also : and the lines b' M, c' M,
etc., drawn *down* to the dividing-point.
Turn Fig. 17 upside down, and it will show
the construction.

PROBLEM VI

TO DRAW ANY TRIANGLE, GIVEN IN POSITION AND MAGNITUDE, IN A HORIZONTAL PLANE

FIG. 18

LET A B C (Fig. 18) be the triangle.

As it is given in position and magnitude, one of its sides, at least, must be given in position and magnitude, and the directions of the two other sides.

Let A B be the side given in position and magnitude.

Then A B is a horizontal line, in a given position, and of a given length.

Draw the line A B (Problem V).

Let *a b* be the line so drawn.

Find v and v′, the vanishing-points respectively of the lines A C and B C (Problem III).

From *a* draw *a* v, and from *b*, draw *b* v′, cutting each other in *c*.

Then *a b c* is the triangle required.

If A C is the line originally given, *a c* is the line which must be first drawn, and the line v′ *b* must be drawn from v′ to *c* and produced to cut *a b* in *b*. Similarly, if B C is given, v *c* must be drawn to *c* and produced, and *a b* from its vanishing-point to *b*, and produced to cut *a c* in *a*.

PROBLEM VII

TO DRAW ANY RECTILINEAR QUADRILATERAL
FIGURE, GIVEN IN POSITION AND MAGNI-
TUDE, IN A HORIZONTAL PLANE

FIG. 19

LET A B C D (Fig. 19) be the given figure,

Join any two of its opposite angles by the
line B C.

Draw first the triangle A B C (Problem
VI).

And then, from the base B C, the two lines
B D, C D, to their vanishing-points, which
will ·complete the figure. It is unnecessary
to give a diagram of the construction, which
is merely that of Fig. 18 duplicated ; an-
other triangle being drawn on the line A C
or B C.

38

COROLLARY

It is evident that by this application of Problem VI any given rectilinear figure whatever in a horizontal plane may be drawn, since any such figure may be divided into a number of triangles, and the triangles then drawn in succession.

More convenient methods may, however, be generally found, according to the form of the figure required, by the use of succeeding problems ; and for the quadrilateral figure which occurs most frequently in practice, namely, the square, the following construction is more convenient than that used in the present problem.

PROBLEM VIII

TO DRAW A SQUARE, GIVEN IN POSITION AND MAGNITUDE, IN A HORIZONTAL PLANE

FIG. 20

LET A B C D, Fig. 20, be the square.

As it is given in position and magnitude, the position and magnitude of all its sides are given.

Fix the position of the point A in *a*.

Find V, the vanishing-point of A B ; and M, the dividing-point of A B, nearest S.

Find v′, the vanishing-point of A C ; and N, the dividing-point of A C, nearest s.

Draw the measuring-line through *a*, and make *a b′*, *a c′* each equal to the sight-magnitude of A B.

(For since A B C D is a square, A C is equal to A B.)

Draw *a* v′ and *c′* N, cutting each other in *c*.

Draw *a* v, and *b′* M, cutting each other in *b*.

FIG. 21

Then *a c*, *a b*, are the two nearest sides of the square.

Now, clearing the figure of superfluous lines we have *a b*, *a c*, drawn in position, as in Fig. 21.

And because A B C D is a square, C D (Fig. 20) is parallel to A B.

And all parallel lines have the same vanishing-point (Note to Problem III).

Therefore, v is the vanishing-point of C D.

Similarly, v′ is the vanishing-point of B D.

Therefore, from *b* and *c* (Fig. 22) draw
b v', *c* v, cutting each other in *d*.

Then *a b c d* is the square required.

COROLLARY I

It is obvious that any rectangle in a hori-
zontal plane may be drawn by this problem,
merely making *a b'*, on the measuring-line,
Fig. 20, equal to the sight-magnitude of one
of its sides, and *a c'* the sight-magnitude of
the other.

COROLLARY II

Let *a b c d*, Fig. 22, be any square drawn
in perspective. Draw the diagonals *a d*
and *b c*, cutting each other in c. Then c is

FIG. 22

the centre of the square. Through c, draw
e f to the vanishing-point of *a b*, and *g h*
to the vanishing-point of *a c*, and these lines
will bisect the sides of the square, so that *a g*
is the perspective representation of half the
side *a b* ; *a e* is half *a c* ; *c h* is half *c d* ; and
b f is half *b d*.

COROLLARY III

Since A B C D, Fig. 20, is a square, B A C is a right angle ; and as T V is parallel to A B, and T V' to A C, V' T V must be a right angle also.

As the ground plan of most buildings is rectangular, it constantly happens in practice that their angles (as the corners of ordinary houses) throw the lines to the vanishing-points thus at right angles ; and so that this law is observed, and V T V' is kept a right angle, it does not matter in general practice whether the vanishing-points are thrown a little more or a little less to the right or left of s : but it matters much that the relation of the vanishing-points should be accurate. Their position with respect to s merely causes the spectator to see a little more or less on one side or other of the house, which may be a matter of chance or choice ; but their rectangular relation determines the rectangular shape of the building, which is an essential point.

PROBLEM IX

TO DRAW A SQUARE PILLAR, GIVEN IN POSITION AND MAGNITUDE, ITS BASE AND TOP BEING IN HORIZONTAL PLANES.

LET A H, Fig. 23, be the square pillar.

Then, as it is given in position and magnitude, the position and magnitude of the


FIG. 23   FIG. 24

square it stands upon must be given (that is, the line A B or A C in position), and the height of its side A E.

Find the sight-magnitudes of A B and A E. Draw the two sides *a b*, *a c*, of the square of the base, by Problem VIII, as in

Fig. 24. From the points *a*, *b*, and *c*, raise vertical lines *a e*, *c f*, *b g*.

Make *a e* equal to the sight-magnitude of A E.

Now because the top and base of the pillar are in horizontal planes, the square of its top, F G, is parallel to the square of its base, B C.

Therefore the line E F is parallel to A C, and E G to A B.

Therefore E F has the same vanishing-point as A C, and E G the same vanishing-point as A B.

From *e* draw *e f* to the vanishing-point of *a c*, cutting *c f* in *f*.

Similarly draw *e g* to the vanishing-point of *a b*, cutting *b g* in *g*.

Complete the square *g f* in *h*, by drawing *g h* to the vanishing-point of *e f*, and *f h* to the vanishing point of *e g*, cutting each other in *h*. Then *a g h f* is the square pillar required.

———

COROLLARY

It is obvious that if A E is equal to A C, the whole figure will be a cube, and each side, *a e f c* and *a e g b*, will be a square in a given vertical plane. And by making A B or A C longer or shorter in any given proportion, any form of rectangle may be given to either of the sides of the pillar. No other rule

is therefore needed for drawing squares or rectangles in vertical planes.

Also any triangle may be thus drawn in a vertical plane, by enclosing it in a rectangle and determining, in perspective ratio, on the sides of the rectangle, the points of their contact with the angles of the triangle.

And if any triangle, then any polygon.

A less complicated construction will, however, be given hereafter [1].

---

[1] See page 118 (note), after you have read Problem XVI.

PROBLEM X

LET A B, Fig. 25, be the four-sided pyramid.
As it is given in position and magnitude,

FIG. 25

the square base on which it stands must be
given in position and magnitude, and its
vertical height, C D [1].

Draw a square pillar, A B G E, Fig. 26, on the
square base of the pyramid and make the
height of the pillar A F equal to the vertical

[1] If, instead of the vertical height, the length of
A D is given, the vertical must be deduced from it.
See the Exercises on this Problem in the Appendix,
p. 96.

47

height of the pyramid c d (Problem IX). Draw the diagonals g f, h i, on the top of

FIG. 26

the square pillar, cutting each other in c. Therefore c is the centre of the square f g h i (Prob. VIII, Cor. II).

Join c e, c a, c b.

FIG. 27

Then a b c e is the pyramid required. If the base of the pyramid is above the eye, as when a square spire is seen on the top of a church-tower, the construction will be as in Fig. 27.

PROBLEM XI

TO DRAW ANY CURVE IN A HORIZONTAL OR VERTICAL PLANE

FIG. 28

LET A B, Fig. 28, be the curve.

Enclose it in a rectangle, C D E F.

Fix the position of the point C or D, and draw the rectangle (Problem VIII, Coroll. I) [1].

---

[1] Or if the curve is in a vertical plane, Coroll. to Problem IX. As a rectangle may be drawn in any

E

Let C D E F, Fig. 29, be the rectangle so drawn.

If an extremity of the curve, as A, is in a side of the rectangle, divide the side C E, Fig. 29, so that A C shall be (in perspective

FIG. 29

ratio) to A E as A C is to A E in Fig. 28 (Prob. V, Cor. II).

Similarly determine the points of contact of the curve and rectangle *e*, *f*, *g*.

If an extremity of the curve, as B, is not in a side of the rectangle, let fall the perpendiculars B *a*, B *b* on the rectangle sides. Determine the correspondent points *a* and *b* in Fig. 29, as you have already determined A, B, *e*, and *f*.

From *b*, Fig. 29, draw *b* B parallel to C D [1], and from *a* draw *a* B to the vanishing point of D F, cutting each other in B. Then B is the extremity of the curve.

position round any given curve, its position with respect to the curve will in either case be regulated by convenience. See the Exercises on this Problem, in the Appendix, p. 105.

[1] Or to its vanishing-point, if C D has one.

Determine any other important point in the curve, as P, in the same way, by letting fall P *q* and P *r* on the rectangle's sides.

Any number of points in the curve may be thus determined, and the curve drawn through the series ; in most cases, three or four will be enough. Practically, complicated curves may be better drawn in perspective by an experienced eye than by rule, as the fixing of the various points in haste involves too many chances of error ; but it is well to draw a good many by rule first, in order to give the eye its experience [1].

COROLLARY

If the curve required be a circle, Fig. 30,

B

C   D

E   A   G

FIG. 30

[1] Of course, by dividing the original rectangle into any number of equal rectangles, and dividing the perspective rectangle similarly, the curve may be approximately drawn without any trouble ; but, when accuracy is required, the points should be fixed, as in the problem.

the rectangle which encloses it will become
a square, and the curve will have four points
of contact, A B C D, in the middle of the sides
of the square.

Draw the square, and as a square may
be drawn about a circle in any position,

FIG. 31

draw it with its nearest side, E G, parallel
to the sight-line.

Let E F, Fig. 31, be the square so drawn.

Draw its diagonals E F, G H ; and through
the centre of the square (determined by
their intersection) draw A B to the vanishing-
point of G F, and C D parallel to E G. Then
the points A B C D are the four points of the
circle's contact.

On E G, describe a half square, E L ; draw
the semicircle K A L ; and from its centre,
R, the diagonals R E, R G, cutting the circle
in *x*, *y*.

From the points *x y*, where the circle

cuts the diagonals, raise perpendiculars.
P *x*, Q *y*, to E G.

From P and Q draw P P', Q Q' to the vanish-
ing-point of G F, cutting the diagonals in
m, *n*, and *o*, *p*.

Then *m*, *n*, *o*, *p* are four other points in
the circle.

Through these eight points the circle
may be drawn by the hand accurately enough
for general purposes ; but any number of
points required may, of course, be deter-
mined, as in Problem XI.

The distance E P is approximately one
seventh of E G, and may be assumed to be
so in quick practice, as the error involved
is not greater than would be incurred in the
hasty operation of drawing the circle and
diagonals.

It may frequently happen that, in con-
sequence of associated constructions, it may
be inconvenient to draw E G parallel to
the sight-line, the square being perhaps first
constructed in some oblique direction. In
such cases, Q G and E P must be determined
in perspective ratio by the dividing-point,
the line E G being used as a measuring-line.

[*Obs.* In drawing Fig. 31 the station-point has been
taken much nearer the paper than is usually advisable,
in order to show the character of the curve in a very
distinct form.

If the student turns the book so that E G may be
vertical, Fig. 31 will represent the construction for
drawing a circle in a vertical plane, the sight-line being
then of course parallel to G L ; and the semicircles
A D B, A C B, on each side of the diameter A B, will

represent ordinary semicircular arches seen in perspective. In that case, if the book be held so that the line E H is the top of the square, the upper semicircle will present a semicircular arch, *above* the eye, drawn in perspective. But if the book be held so that the line G F is the top of the square, the upper semicircle will represent a semicircular arch, *below* the eye, drawn in perspective.

If the book be turned upside down, the figure will represent a circle drawn on the ceiling, or any other horizontal plane above the eye ; and the construction is, of course, accurate in every case.]

PROBLEM XII

TO DIVIDE A CIRCLE DRAWN IN PERSPECTIVE INTO ANY GIVEN NUMBER OF EQUAL PARTS

LET A B, Fig. 32, be the circle drawn in perspective. It is required to divide it into a given number of equal parts; in this case, 20.

Let K A L be the semicircle used in the construction. Divide the semicircle K A L into half the number of parts required; in this case, 10.

Produce the line E G laterally, as far as may be necessary.

From o, the centre of the semicircle K A L, draw radii through the points of division of the semicircle, *p*, *q*, *r*, &c., and produce them to cut the line E G in P, Q, R, &c.

From the points P Q R draw the lines P P′, Q Q′, R R′, &c., through the centre of the circle A B, each cutting the circle in two points of its circumference.

Then these points divide the perspective circle as required.

If from each of the points *p*, *q*, *r*, a vertical were raised to the line E G, as in Fig. 31, and from the point where it cut E G a line

55

FIG. 32

were drawn to the vanishing - point, as Q Q' in Fig. 31, this line would also determine two of the points of division.

If it is required to divide a circle into any number of given *un*equal parts (as in the points A, B, and C, Fig. 33), the shortest way is thus to raise vertical lines from A and B to the side of the perspective square X Y, and then draw to the vanishing - point, cutting the perspective circle in *a* and *b*, the points required. Only notice that if any point, as A, is on the nearer side of the circle A B C, its representative point, *a*, must be on the nearer

side of the circle *a b c* ; and if the point
B is on the farther side of the circle
A B C, *b* must be on the farther side of *a b c*.
If any point, as C, is so much in the lateral
arc of the circle as not to be easily determin-

FIG. 33

able by the vertical line, draw the horizontal
C P, find the correspondent *p* in the side of
the perspective square, and draw *p c* parallel
to X Y, cutting the perspective circle in *c*.

COROLLARY

It is obvious that if the points P′, Q′,
R, etc., by which the circle is divided in
Fig. 32, be joined by right lines, the resulting
figure will be a regular equilateral figure of
twenty sides inscribed in the circle. And

if the circle be divided into given unequal parts, and the points of division joined by right lines, the resulting figure will be an irregular polygon inscribed in the circle with sides of given length.

Thus any polygon, regular or irregular, inscribed in a circle, may be inscribed in position in a perspective circle.

PROBLEM XIII

TO DRAW A SQUARE, GIVEN IN MAGNITUDE,
WITHIN A LARGER SQUARE GIVEN IN
POSITION AND MAGNITUDE; THE SIDES
OF THE TWO SQUARES BEING PARALLEL

FIG. 34

LET A B, Fig. 34, be the sight-magnitude
of the side of the smaller square, and A C
that of the side of the larger square.

Draw the larger square. Let D E F G be
the square so drawn.

Join E G and D F.

On either D E or D G set off, in perspective
ratio, D H equal to one half of B C. Through
H draw H K to the vanishing-point of D E,

cutting D F in I and E G in K. Through I
and K draw I M, K L, to vanishing-point of
D G, cutting D F in L and E G in M. Join
L M.

Then I K L M is the smaller square, in-
scribed as required [1].

COROLLARY

If, instead of one square within another,
it be required to draw one circle within

FIG. 36

another, the dimensions of both being
given, enclose each circle in a square.
Draw the squares first, and then the circles
within, as in Fig. 36.

FIG. 35

and the construction is as in Fig. 35.

[1] If either of
the sides of the
greater square is
parallel to the
plane of the
picture, as D G in
Fig. 35, D G must be
of course equal to A C, and
D H equal to $\dfrac{B C}{2}$,

PROBLEM XIV

TO DRAW A TRUNCATED CIRCULAR CONE,
GIVEN IN POSITION AND MAGNITUDE,
THE TRUNCATIONS BEING IN HORIZONTAL
PLANES, AND THE AXIS OF THE CONE
VERTICAL

Let A B C D, Fig. 37, be the portion of the
cone required.

FIG. 37

As it is given in magnitude, its diameters
must be given at the base and summit,
A B and C D; and its vertical height, C E [1].

[1] Or if the length of its side, A C, is given instead,
take *a e*, Fig. 37, equal to half the excess of A B over
C D; from the point *e* raise the perpendicular *c e*.
With centre *a*, and distance A C, describe a circle
cutting *c e* in *c*. Then *c e* is the vertical height of the
portion of cone required, or C E.

61

And as it is given in position, the centre of its base must be given.

Draw in position, about this centre [1], the square pillar $a\ f\ d$, Fig. 38, making its

FIG. 38

height, $b\ g$, equal to C E ; and its side, $a\ b$, equal to A B.

In the square of its base, $a\ b\ c\ d$, inscribe a circle, which therefore is of the diameter of the base of the cone, A B.

In the square of its top, $e\ f\ g\ h$, inscribe concentrically a circle whose diameter shall equal C D. (Coroll. Prob. XIII.)

Join the extremities of the circles by the right lines $k\ l$, $n\ m$.

Then $k\ l\ n\ m$ is the portion of cone required.

---

[1] The direction of the side of the square will of course be regulated by convenience.

COROLLARY I

If similar polygons be inscribed in similar positions in the circles *k n* and *l m* (Coroll. Prob. XII), and the corresponding angles of the polygons joined by right lines, the resulting figure will be a portion of a polygonal pyramid. (The dotted lines in Fig. 38, connecting the extremities of two diameters and one diagonal in the respective circles, occupy the position of the three nearest angles of a regular octagonal pyramid, having its angles set on the diagonals and diameters of the square *a d*, enclosing its base.)

If the cone or polygonal pyramid is not truncated, its apex will be the centre of the upper square, as in Fig. 26.

COROLLARY II

If equal circles, or equal and similar polygons, be inscribed in the upper and lower squares in Fig. 38, the resulting figure will be a vertical cylinder, or a vertical polygonal pillar, of given height and diameter, drawn in position.

COROLLARY III

If the circles in Fig. 38, instead of being inscribed in the squares *b c*, and *f g*, be inscribed in the sides of the solid figure *b e* and *d f*, those sides being made square,

and the line *b d* of any given length, the
resulting figure will be, according to the
constructions employed, a cone, polygonal
pyramid, cylinder, or polygonal pillar,
drawn in position about a horizontal axis
parallel to *b d*.

Similarly, if the circles are drawn in the
sides *g d* and *e c*, the resulting figures will
be described about a horizontal axis parallel
to *a b*.

PROBLEM XV

TO DRAW AN INCLINED LINE, GIVEN IN POSITION AND MAGNITUDE

WE have hitherto been examining the conditions of horizontal and vertical lines only, or of curves enclosed in rectangles.

We must, in conclusion, investigate the perspective of inclined lines, beginning with a single one given in position. For the sake of completeness of system, I give in Appendix II, Article III, the development of this problem from the second. But, in practice, the position of an inclined line may be most coveniently defined by considering it as the diagonal of a rectangle, as A B in Fig. 39, and I shall therefore, though at some sacrifice of system, examine it here under that condition.

If the sides of the rectangle A C and A D are given, the slope of the line A B is determined ; and then its position will depend on that of the rectangle. If, as in Fig. 39, the rectangle is parallel to the picture plane, the line A B must be so also. If, as in Fig. 40, the rectangle is inclined to the picture plane, the line A B will be so

also. So that, to fix the position of A B,
the line A c must be given in position and
magnitude, and the height A D.

FIG. 39   FIG. 40   FIG. 41

If these are given, and it is only required
to draw the single line A B in perspective,
the construction is entirely simple ; thus :

Draw the line A c by Problem I.

Let A c, Fig. 41, be the line so drawn.
From *a* and *c* raise the vertical lines *a d*,
c b. Make *a d* equal to the sight-mag-

FIG. 42

nitude of A D. From *d* draw *d b* to the
vanishing point of *a c*, cutting *b c* in *b*.

Join *a b*. Then *a b* is the inclined line
required.

If the line is inclined in the opposite
direction, as D C in Fig. 42, we have only to
join *d c* instead of *a b* in Fig. 41, and *d c*
will be the line required.

I shall hereafter call the line A C, when
used to define the position of an inclined
line A B (Fig. 40), the " relative horizontal "
of the line A B.

OBSERVATION

In general, inclined lines are most needed
for gable roofs, in which, when the condi-
tions are properly stated, the vertical height
of the gable, X Y, Fig. 43, is given, and the
base line, A C, in position. When these are

FIG. 43

given, draw A C ; raise vertical A D ; make
A D equal to sight-magnitude of X Y ; com-
plete the perspective-rectangle A D B C ; join
A B and D C (as by dotted lines in figure) ;
and through the intersection of the dotted

lines draw vertical x y, cutting D B in Y.
Join A Y, C Y ; and these lines are the sides
of the gable. If the length of the roof A A'
is also given, draw in perspective the com-

FIG. 44

plete parallelopiped A' D' B C, and from Y
draw Y Y' to the vanishing-point of A A',
cutting D' B' in Y'. Join A' Y, and you have
the slope of the farther side of the roof.

The construction above the eye is as in
Fig. 44 ; the roof is reversed in direction
merely to familiarize the student with the
different aspects of its lines.

PROBLEM XVI

TO FIND THE VANISHING POINT OF A GIVEN INCLINED LINE

IF, in Fig. 43 or Fig. 44, the lines A Y and A' Y' be produced, the student will find that they meet.

Let P, Fig. 45, be the point at which they meet.

From P let fall the vertical P V on the sight-line, cutting the sight-line in v.

Then the student will find experimentally that v is the vanishing-point of the line A C [1].

Complete the rectangle of the base A c', by drawing A' c' to v, and c c' to the vanishing-point of A A'.

Join Y' c'.

Now if Y c and Y' c' be produced downwards, the student will find that they meet.

Let them be produced, and meet in P'.

Produce P V, and it will be found to pass through the point P'.

Therefore if A Y (or c Y), Fig. 45, be any inclined line drawn in perspective by Prob-

[1] The demonstration is in Appendix II, Article III.

69

lem XV, and A C the relative horizontal (A C in Figs. 39, 40), also drawn in perspective.

Through V, the vanishing-point of A C,

FIG. 45

draw the vertical P P' upwards and downwards.

Produce A Y or (C Y), cutting P P' in P (or P').

Then P is the vanishing-point of A Y (or P' of C Y).

The student will observe that, in order to find the point P by this method, it is necessary first to draw a portion of the given inclined line by Problem XV. Practically, it is always necessary to do so, and, therefore, I give the problem in this form.

Theoretically, as will be shown in the analysis of the problem, the point P should be found by drawing a line from the station-point parallel to the given inclined line : but there is no practical means of drawing such a line ; so that in whatever terms the problem may be given, a portion of the inclined line (A Y or C Y) must always be drawn in perspective before P can be found.

PROBLEM XVII

TO FIND THE DIVIDING-POINTS OF A GIVEN INCLINED LINE

LET P, Fig. 46, be the vanishing-point of the inclined line, and V the vanishing-point of the relative horizontal.

Find the dividing-points of the relative horizontal, D and D′.

Through P draw the horizontal line XY.

FIG. 46

With centre P and distance D P describe the two arcs D X and D′ Y, cutting the line X Y in X and Y.

Then X and Y are the dividing-points of the inclined line [1].

[1] The demonstration is in Appendix II, p. 125.

Obs. The dividing-points found by the
above rule, used with the ordinary measur-
ing-line, will lay off distances on the retiring
inclined line, as the ordinary dividing-points
lay them off on the retiring horizontal line.

Another dividing-point, peculiar in its
application, is sometimes useful, and is to
be found as follows :

FIG. 47

Let A B, Fig. 47, be the given inclined line
drawn in perspective, and A *c* the relative
horizontal.

Find the vanishing-points, V and E,
of A *c* and A B ; D, the dividing-point of A *c* ;
and the sight-magnitude of A *c* on the measur-
ing-line, or A C.

From D erect the perpendicular D F.

Join C B, and produce it to cut D E in F.
Join E F.

Then, by similar triangles, D F is equal
to E V, and E F is parallel to D V.

Hence it follows that if from D, the dividing-point of A c, we raise a perpendicular and make D F equal to E V, a line C F, drawn from any point C on the measuring-line to F, will mark the distance A B on the inclined line, A B being the portion of the given incline line which forms the diagonal of the vertical rectangle of which A C is the base.

PROBLEM XVIII

TO FIND THE SIGHT-LINE OF AN INCLINED PLANE IN WHICH TWO LINES ARE GIVEN IN POSITION [1]

As in order to fix the position of a line two points in it must be given, so in order to fix

FIG. 48

the position of a plane, two lines in it must be given.

Let the two lines be A B and C D, Fig. 48.

[1] Read the Article on this problem in the Appendix p. 119, before investigating the problem itself.

As they are given in position, the relative horizontals A E and C F must be given.

Then by Problem XVI the vanishing-point of A B is V, and of C D, V'.

Join V V' and produce it to cut the sight-line in X.

Then V X is the sight-line of the inclined plane.

Like the horizontal sight-line, it is of indefinite length ; and may be produced in either direction as occasion requires, crossing the horizontal line of sight, if the plane continues downward in that direction.

X is the vanishing-point of all horizontal lines in the inclined plane.

PROBLEM XIX

TO FIND THE VANISHING-POINT OF STEEPEST LINES IN AN INCLINED PLANE WHOSE SIGHT-LINE IS GIVEN

LET V X, Fig. 49, be the given sight-line.

Produce it to cut the horizontal sight-line in X.

FIG. 49

Therefore X is the vanishing point of horizontal lines in the given inclined plane (Problem XVIII).

Join T X, and draw T Y at right angles to T X.

76

Therefore Y is to rectangular vanishing-point corresponding to X [1].

From Y erect the vertical Y P, cutting the sight-line of the inclined plane in P.

Then P is the vanishing-point of steepest lines in the plane.

All lines drawn to it, as Q P, R P, N P, &c., are the steepest possible in the plane ; and all lines drawn to X, as Q X, O X, &c., are horizontal, and at right angles to the lines P Q, P R, &c.

[1] That is to say, the vanishing-point of horizonta lines drawn at right angles to the lines whose vanish-ing point is X.

PROBLEM XX

TO FIND THE VANISHING-POINT OF LINES
PERPENDICULAR TO THE SURFACE OF A
GIVEN INCLINED PLANE

As the inclined plane is given, one of its
steepest lines must be given, or may be
ascertained.

Let A B, Fig. 50, be a portion of a steepest

FIG. 50

line in the given plane, and v the vanishing-
point of its relative horizontal.

78

Through v draw the vertical G F upwards and downwards.

From A set off any portion of the relative horizontal A C, and on A C describe a semi-circle in a vertical plane, A D C, cutting A B in E.

Join E C, and produce it to cut G F in F.

Then F is the vanishing-point required.

For, because A E C is an angle in a semi-circle, it is a right angle ; and therefore the line E F is at right angles to the line A B ; and similarly all lines drawn to F, and therefore parallel to E F, are at right angles with any line which cuts them, drawn to the vanishing-point of A B.

And because the semicircle A D C is in a vertical plane, and its diameter A C is at right angles to the horizontal lines traversing the surface of the inclined plane, the line E C, being in this semicircle, is also at right angles to such traversing lines. And therefore the line E C, being at right angles to the steepest lines in the plane, and to the horizontal lines in it, is perpendicular to its surface.

PLACING AND SCALE OF PICTURE

THE preceding series of constructions, with the examples in the first Article of the Appendix, put it in the power of the student to draw any form, however complicated [1], which does not involve intersection of curved surfaces. I shall not proceed to the analysis of any of these more complex problems, as they are entirely useless in the ordinary practice of artists. For a few words only I must ask the reader's further patience, respecting the general placing and scale of the picture.

As the horizontal sight-line is drawn through the sight-point, and the sight-point is opposite the eye, the sight-line is always on a level with the eye. Above and below the sight-line, the eye comprehends, as it is raised or depressed while the head is held upright, about an equal space ; and, on each side of the sight-point, about the same

[1] As in algebraic science, much depends, in complicated perspective, on the student's ready invention of expedients, and on his quick sight of the shortest way in which the solution may be accomplished, when there are several ways.

space is easily seen without turning the head ; so that if a picture represented the true field of easy vision, it ought to be circular, and have the sight-point in its centre. But because some parts of any given view are usually more interesting than others, either the uninteresting parts are left out, or somewhat more than would generally be seen of the interesting parts is included, by moving the field of the picture a little upwards or downwards, so as to throw the sight-point low or high. The operation will be understood in a moment by cutting an aperture in a piece of pasteboard, and moving it up and down in front of the eye, without moving the eye. It will be seen to embrace sometimes the low, sometimes the high objects, without altering their perspective, only the eye will be opposite the lower part of the aperture when it sees the higher objects, and vice versâ.

There is no reason, in the laws of perspective, why the picture should not be moved to the right or left of the sight-point, as well as up or down. But there is this practical reason. The moment the spectator sees the horizon in a picture high, he tries to hold his head high, that is, in its right place. When he sees the horizon in a picture low, he similarly tries to put his head low. But, if the sight-point is thrown to the left hand or right hand, he does not understand that he is to step a little to the right or left ;

and if he places himself, as usual, in the middle, all the perspective is distorted. Hence it is generally unadvisable to remove the sight-point literally, from the centre of the picture. The Dutch painters, however, fearlessly take the licence of placing it to the right or left ; and often with good effect.

The rectilinear limitation of the sides, top, and base of the picture is of course quite arbitrary, as the space of a landscape would be which was seen through a window ; less or more being seen at the spectator's pleasure, as he retires or advances.

The distance of the station-point is not so arbitrary. In ordinary cases it should not be less than the intended greatest dimension (height or breadth) of the picture. In most works by the great masters it is more ; they not only calculate on their pictures being seen at considerable distances, but they like breadth of mass in buildings, and dislike the sharp angles which always result from station-points at short distances [1].

Whenever perspective, done by true rule, looks wrong, it is always because the station-point is too near. Determine, in the outset, at what distance the spectator is likely to

---

[1] The greatest masters are also fond of parallel perspective, that is to say, of having one side of their buildings fronting them full, and therefore parallel to the picture plane, while the other side vanishes to the sight-point. This is almost always done in fi ure backgrounds, securing simple and balanced lines.

examine the work, and never use a station-point within a less distance.

There is yet another and a very important reason, not only for care in placing the station-point, but for that accurate calculation of distance and observance of measurement which have been insisted on throughout this work. All drawings of objects on a reduced scale are, if rightly executed, drawings of the appearance of the object at the distance which in true perspective reduces it to that scale. They are not *small* drawings of the object seen near, but drawings the *real size* of the object seen far off. Thus if you draw a mountain in a landscape three inches high, you do not reduce all the features of the near mountain so as to come into three inches of paper. You could not do that. All that you can do is to give the appearance of the mountain, when it is so far off that three inches of paper would really hide it from you. It is precisely the same in drawing any other object. A face can no more be reduced in scale than a mountain can. It is infinitely delicate already ; it can only be quite rightly rendered on its own scale, or at least on the slightly diminished scale which would be fixed by placing the plate of glass, supposed to represent the field of the picture, close to the figures. Correggio and Raphael were both fond of this slightly subdued magnitude of figure. Colossal painting, in which Correggio

excelled all others, is usually the enlarge-
ment of a small picture (as a colossal sculpture
is of a small statue), in order to permit the
subject of it to be discerned at a distance.
The treatment of colossal (as distinguished
from ordinary) paintings will depend there-
fore, in general, on the principles of optics
more than on those of perspective, though,
occasionally, portions may be represented
as if they were the projection of near objects
on a plane behind them. In all points the
subject is one of great difficulty and subtlety ;
and its examination does not fall within the
compass of this essay.

Lastly, it will follow from these considera-
tions, and the conclusion is one of great
practical importance, that, though pictures
may be enlarged, they cannot be reduced,
in copying them. All attempts to engrave
pictures completely on a reduced scale are,
for this reason, nugatory. The best that
can be done is to give the aspect of the picture
at the distance which reduces it in perspec-
tive to the size required ; or, in other words,
to make a drawing of the distant effect of the
picture. Good painting, like nature's own
work, is infinite, and unreducible.

I wish this book had less tendency to-
wards the infinite and unreducible. It
has so far exceeded the limits I hoped to
give it, that I doubt not the reader will
pardon an abruptness of conclusion, and be
thankful, as I am myself, to get to an end
on any terms.

APPENDIX

I
PRACTICE AND
OBSERVATIONS

II
DEMONSTRATIONS

PRACTICE AND OBSERVATIONS ON THE PRECEDING PROBLEMS

PROBLEM I

An example will be necessary to make this problem clear to the general student.

The nearest corner of a piece of pattern on the carpet is $4\frac{1}{2}$ feet beneath the eye, 2 feet to our right and $3\frac{1}{2}$ feet in direct distance from us.


FIG. 51

We intend to make a drawing of the pattern which shall be seen properly when held $1\frac{1}{2}$ foot

from the eye. It is required to fix the position of the corner of the piece of pattern.

LET A B, Fig. 51, be our sheet of paper, some 3 feet wide. Make s T equal to $1\frac{1}{2}$ foot. Draw the line of sight through s. Produce T s, and make D s equal to 2 feet, therefore T D equal to $3\frac{1}{2}$ feet. Draw D c, equal to 2 feet; c P, equal to 4 feet. Join T c (cutting the sight-line in Q) and T P.

Let fall the vertical Q P', then P' is the point required.

If the lines, as in the figure, fall outside of your sheet of paper, in order to draw them, it is necessary to attach other sheets of paper to its edges. This is inconvenient, but must be done at first that you may see your way clearly; and sometimes afterwards, though there are expedients for doing without such extension in fast sketching.

It is evident, however, that no extension of surface could be of any use to us, if the distance T D, instead of being $3\frac{1}{2}$ feet, were 100 feet, or a mile, as it might easily be in a landscape.

It is necessary, therefore, to obtain some other means of construction; to do which we must examine the principle of the problem.

In the analysis of Fig. 2, in the introductory remarks, I used the word 'height' only of the tower, Q P, because it was only to its vertical height that the law deduced from the figure could be applied. For suppose it had been a pyramid as O Q P, Fig. 52, then the image of its side, Q P, being, like every other magnitude, limited on the glass A B by the lines coming from its extremities, would appear only of the length Q' s; and it is not true that Q' s is to Q P as T s is to

T P. But if we let fall a vertical Q D from Q,
so as to get the vertical height of the pyramid,
then it is true that Q′ s is to Q D as T s is to T D.

Supposing this figure represented, not a pyra-

FIG. 52

mid, but a triangle on the ground, and that Q D
and Q P are horizontal lines, expressing lateral
distance from the line T D, still the rule would
be false for Q P and true for Q D. And, similarly,
it is true for all lines which are parallel, like Q D,
to the plane of the picture A B, and false for all
lines which are inclined to it at an angle.

Hence generally. Let P Q (Fig. 2 in Intro-
duction) be any magnitude *parallel to the plane
of the picture ;* and P′ Q′ its image on the picture.

Then always the formula is true which you
learned in the Introduction : P′ Q′ is to P Q as
S T is to D T.

Now the magnitude P dash Q dash in this
formula I call the ' SIGHT-MAGNITUDE ' of the
line P Q. The student must fix this term, and
the meaning of it, well in his mind. The ' sight
magnitude ' of a line is the magnitude which
bears to the real line the same proportion that
the distance of the picture bears to the distance of
the object. Thus, if a tower be a hundred feet
high, and a hundred yards off ; and the picture,

or piece of glass, is one yard from the spectator between him and the tower; the distance of picture being then to distance of tower as 1 to 100, the sight-magnitude of the tower's height will be as 1 to 100; that is to say, one foot. If the tower is two hundred yards distant, the sight-magnitude of its height will be half a foot, and so on.

But farther. It is constantly necessary, in perspective operations, to measure the other dimensions of objects by the sight-magnitude of their vertical lines. Thus, if the tower, which is a hundred feet high, is square, and twenty-five feet broad on each side; if the sight-magnitude of the height is one foot, the measurement of the side, reduced to the same scale, will be the hundredth part of twenty-five feet, or three inches: and, accordingly, I use in this treatise the term 'sight-magnitude' indiscriminately for all lines reduced in the same proportion as the vertical lines of the object. If I tell you to find the 'sight magnitude' of any line, I mean, always, find the magnitude which bears to that line the proportion of s t to d t; or, in simpler terms, reduce the line to the scale which you have fixed by the first determination of the length s t.

Therefore, you must learn to draw quickly to scale before you do anything else; for all the measurements of your object must be reduced to the scale fixed by s t before you can use them in your diagram. If the object is fifty feet from you, and your paper one foot, all the lines of the object must be reduced to a scale of one fiftieth before you can use them; if the object is two thousand feet from you, and your paper one foot, all your lines must be reduced to the scale of one two-thousandth before you can use them, and so

on. Only in ultimate practice, the reduction never need be tiresome, for, in the case of large distances, accuracy is never required. If a building is three or four miles distant, a hairbreadth of accidental variation in a touch makes a difference of ten or twenty feet in height or breadth, if estimated by accurate perspective law. Hence it is never attempted to apply measurements with precision at such distances. Measurements are only required within distances of, at the most, two or three hundred feet. Thus it may be necessary to represent a cathedral nave precisely as seen from a spot seventy feet in front of a given pillar; but we shall hardly be required to draw a cathedral three miles distant precisely as seen from seventy feet in advance of a given milestone. Of course, if such a thing be required, it can be done; only the reductions are somewhat long and complicated: in ordinary cases it is easy to assume the distance s т so as to get at the reduced dimensions in a moment. Thus, let the pillar of the nave, in the case supposed, be 42 feet high, and we are required to stand 70 feet from it: assume s т to be equal to 5 feet. Then, as 5 is to 70 so will the sight-magnitude required be to 42; that is to say, the sight-magnitude of the pillar's height will be 3 feet. If we make s т equal to 2½ feet, the pillar's height will be 1½ foot, and so on.

And for fine divisions into irregular parts which cannot be measured, the ninth and tenth problems of the sixth book of Euclid will serve you: the following construction is, however, I think, more practically convenient:

The line A B (Fig. 53) is divided by given points, *a*, *b*, *c*, into a given number of irregularly unequal parts; it is required to divide any other line,

C D, into an equal number of parts, bearing to each other the same proportions as the parts of A B, and arranged in the same order.

FIG. 53

Draw the two lines parallel to each other, as in the figure.

Join A C and B D, and produce the lines A C, B D, till they meet in P.

Join *a* P, *b* P, *c* P, cutting C D in *f*, *g*, *h*.

Then the line C D is divided as required, in *f*, *g*, *h*.

In the figure the lines A B and C D are accidentally perpendicular to A P. There is no need for their being so.

Now, to return to our first problem.

The construction given in the figure is only the quickest mathematical way of obtaining, on the picture, the sight-magnitudes of D C and P C, which are both magnitudes parallel with the picture plane. But if these magnitudes are too

great to be thus put on the paper, you have only to obtain the reduction by scale. Thus, if T S be one foot, T D eighty feet, D C forty feet, and C P ninety feet, the distance Q S must be made equal to one eightieth of D C, or half a foot; and the distance Q P', one eightieth of C P, or one eightieth of ninety feet; that is to say, nine eighths of a foot, or thirteen and a half inches. The lines C T and P T are thus *practically* useless, it being only necessary to measure Q S and Q P, on your paper, of the due sight-magnitudes. But the mathematical construction, given in Problem I, is the basis of all succeeding problems, and, if it is once thoroughly understood and practised (it can only be thoroughly understood by practice), all the other problems will follow easily.

Lastly. Observe that any perspective operation whatever may be performed with reduced dimensions of every line employed, so as to bring it conveniently within the limits of your paper. When the required figure is thus constructed on a small scale, you have only to enlarge it accurately in the same proportion in which you reduced the lines of construction, and you will have the figure constructed in perspective on the scale required for use.

PROBLEM IX

THE drawing of most buildings occurring in ordinary practice will resolve itself into applications of this problem. In general, any house, or block of houses, presents itself under the main conditions assumed here in Fig. 54. There will be an angle or corner somewhere near the spectator, as A B; and the level of the eye will usually be above the base of the building, of which, therefore, the horizontal upper lines will slope down to the vanishing-points, and the base lines rise to them. The following practical directions will, however, meet nearly all cases :

Let A B, Fig. 54, be any important vertical line in the block of buildings; if it is the side of a street, you may fix upon such a line at the division between two houses. If its real height, distance, &c., are given, you will proceed with the accurate construction of the problem; but usually you will neither know, nor care, exactly how high the building is, or how far off. In such case draw the line A B, as nearly as you can guess, about the part of the picture it ought to occupy, and on such a scale as you choose. Divide it into any convenient number of equal parts, according to the height you presume it to be. If you suppose it to be twenty feet high, you may divide it into twenty parts, and let each part stand for a foot; if thirty feet high, you may

94

divide it into ten parts, and let each part stand
for three feet ; if seventy feet high, into fourteen
parts, and let each part stand for five feet ; and
so on, avoiding thus very minute divisions till you
come to details. Then observe how high your

FIG. 54

eye reaches upon this vertical line ; suppose, for
instance, that it is thirty feet high and divided
into ten parts, and you are standing so as to raise
your head to about six feet above its base, then
the sight-line may be drawn, as in the figure,
through the second division from the ground. If
you are standing above the house, draw the
sight-line above B ; if below the house, below A ;
at such height or depth as you suppose may be
accurate (a yard or two more or less matters
little at ordinary distances, while at great dis-
tances perspective rules become nearly useless,
the eye serving you better than the necessarily
imperfect calculation). Then fix your sight-
point and station-point, the latter with proper
reference to the scale of the line A B. As you

cannot, in all probability, ascertain the exact direction of the line A V or B V, draw the slope B V as it appears to you, cutting the sight-line in V. Thus having fixed one vanishing-point, the other, and the dividing-points, must be accurately found by rule; for, as before stated, whether your entire group of points (vanishing and dividing) falls a little more or less to the right or left of S does not signify, but the relation of the points to each other *does* signify. Then draw the measuring-line B G, either through A or B, choosing always the steeper slope of the two; divide the measuring-line into parts of the same length as those used on A B, and let them stand for the same magnitudes. Thus, suppose there are two rows of windows in the house front, each window six feet high by three wide, and separated by intervals of three feet, both between window and window and between tier and tier; each of the divisions here standing for three feet, the lines drawn from B G to the dividing-point D fix the lateral dimensions, and the divisions on A B the vertical ones. For other magnitudes it would be necessary to subdivide the parts on the measuring-line, or on A B, as required. The lines which regulate the inner sides or returns of the windows (*a, b, c,* &c.) of course are drawn to the vanishing-point of B F (the other side of the house), if F B V represents a right angle; if not, their own vanishing-point must be found separately for these returns. But see Practice on Problem XI.

Interior angles, such as E B C, Fig. 55 (suppose the corner of a room), are to be treated in the same way, each side of the room having its measurements separately carried to it from the measuring-line. It may sometimes happen in

such cases that we have to carry the measurement *up* from the corner B, and that the sight-magnitudes are given us from the length of the line A B. For instance, suppose the room is eighteen feet high, and therefore A B is eighteen

FIG. 55

feet; and we have to lay off lengths of six feet on the top of the room wall, B C. Find D, the dividing-point of B C. Draw a measuring-line, B F, from B; and another, *g* C, anywhere above. On B F lay off B G equal to one third of A B, or six feet; and draw from D, through G and B, the lines G *g*, B *b*, to the upper measuring-line. Then *g b* is six feet on that measuring-line. Make *b c*, *c h*, &c., equal to *b g*; and draw *c e*, *h f*, &c., to D, cutting B C in *e* and *f*, which mark the required lengths of six feet each at the top of the wall.

PROBLEM X

THIS is one of the most important foundational problems in perspective, and it is necessary that the student should entirely familiarize himself with its conditions.

In order to do so, he must first observe these general relations of magnitude in any pyramid on a square base.

Let A G H, Fig. 56, be any pyramid on a square base.

FIG. 56

The best terms in which its magnitude can be given, are the length of one side of its base, A H, and its vertical altitude (C D in Fig. 25); for, knowing these, we know all the other magnitudes. But these are not the terms in which its size will be usually ascertainable. Generally we shall have given us, and be able to ascertain by measurement, one side of its base A H, and either A G

the length of one of the lines of its angles, or
B G (or B' G) the length of a line drawn from
its vertex, G, to the middle of the side of its base.
In measuring a real pyramid, A G will usually
be the line most easily found; but in many
architectural problems B G is given, or is most
easily ascertainable.

Observe therefore this general construction.

Let A B D E, Fig. 57, be the square base of any
pyramid.

FIG. 57

Draw its diagonals, A E, B D, cutting each other
in its centre, C.

Bisect any side, A B, in F.

From F erect vertical F G.

Produce F B to H, and make F H equal to A C.

Now if the vertical altitude of the pyramid
(C D in Fig. 25) be given, make F G equal to this
vertical altitude.

Join G B and G H.

Then G B and G H are the true magnitudes of
G B and G H in Fig. 56.

If G B is given, and not the vertical altitude,
with centre B, and distance G B, describe circle
cutting F G in G, and F G is the vertical altitude.

If G H is given, describe the circle from H,
with distance G H, and it will similarly cut F G
in G.

It is especially necessary for the student to
examine this construction thoroughly, because
in many complicated forms of ornaments, capi-
tals of columns, &c., the lines B G and G H become
the limits or bases of curves, which are elongated
on the longer (or angle) profile G H, and short-
ened on the shorter (or lateral) profile B G. We
will take a simple instance, but must previously
note another construction.

It is often necessary, when pyramids are the
roots of some ornamental form, to divide them
horizontally at a given vertical height. The
shortest way of doing so is in general the follow-
ing.

Let A E C, Fig. 58, be any pyramid on a square
base A B C, and A D C the square pillar used in its
construction.

Then by construction (Problem X) B D and
A F are both of the vertical height of the pyra-
mid.

Of the diagonals, F E, D E, choose the shortest
(in this case D E), and produce it to cut the sight-
line in V.

Therefore V is the vanishing-point of D E.

Divide D B, as may be required, into the sight-
magnitudes of the given vertical heights at which
the pyramid is to be divided.

From the points of division, 1, 2, 3, &c., draw
to the vanishing-point V. The lines so drawn

cut the angle line of the pyramid, B E, at the required elevations. Thus, in the figure, it is

FIG. 58

required to draw a horizontal black band on the pyramid at three fifths of its height and in breadth one twentieth of its height. The line B D is divided into five parts, of which three are counted from B upwards. Then the line drawn to V marks the base of the black band. Then one fourth of one of the five parts is measured, which similarly gives the breadth of the band. The terminal lines of the band are then drawn on the sides of the pyramid parallel to A B (or to its vanishing-point if it has one), and to the vanishing-point of B C.

If it happens that the vanishing-points of the diagonals are awkwardly placed for use, bisect the nearest base line of the pyramid in B, as in Fig. 59.

Erect the vertical D B and join G B and D G (G being the apex of pyramid).

Find the vanishing-point of D G, and use D B for division, carrying the measurements to the line G B.

In Fig. 59, if we join A D and D C, A D C is the vertical profile of the whole pyramid, and B D C of the half pyramid, corresponding to F G B in Fig. 57.


FIG. 59   FIG. 60

We may now proceed to an architectural example.

Let A H, Fig. 60, be the vertical profile of the capital of a pillar, A B the semi-diameter of its head or abacus, and F D the semi-diameter of its shaft.

Let the shaft be circular, and the abacus square, down to the level E.

Join B D, E F, and produce them to meet in G.

Therefore E C G is the semi-profile of a reversed pyramid containing the capital.

Construct this pyramid, with the square of the abacus, in the required perspective, as in Fig. 61; making A E equal to A E in Fig. 60, and A K, the side of the square, equal to twice A B in Fig. 60.

Make E G equal to C G, and E D equal to C D. Draw D F to the vanishing-point of the diagonal D V (the figure is too small to include this vanishing-point), and F is the level of the point F in Fig. 60, on the side of the pyramid.


FIG. 61

Draw F m, F n, to the vanishing-points of A H and A K. Then F n and F m are horizontal lines across the pyramid at the level F, forming at that level two sides of a square.

Complete the square, and within it inscribe a circle, as in Fig. 62, which is left unlettered that its construction may be clear. At the extremities of this draw vertical lines, which will be the sides of the shaft in its right place. It will be found to be somewhat smaller in diameter than the entire shaft in Fig. 60, because at the centre of the square it is more distant than the nearest edge of the square abacus. The curves of the capital may then be drawn approximately by the eye. They are not quite accurate in

Fig. 62, there being a subtlety in their junction with the shaft which could not be shown on so small a scale without confusing the student;


FIG. 62

the curve on the left springing from a point a little way round the circle behind the shaft, and that on the right from a point on this side of the circle a little way within the edge of the shaft. But for their more accurate construction see Notes on Problem XIV.

PROBLEM XI

It is seldom that any complicated curve, except occasionally a spiral, needs to be drawn in perspective; but the student will do well to practise for some time any fantastic shapes which he can find drawn on flat surfaces, as on wall-papers. carpets, &c., in order to accustom himself to the strange and great changes which perspective causes in them.

The curves most required in architectural

FIG. 63

drawing, after the circle, are those of pointed arches; in which, however, all that will be generally needed is to fix the apex, and two points in the sides. Thus if we have to draw

a range of pointed arches, such as A P B, Fig. 63, draw the measured arch to its sight-magnitude first neatly in a rectangle, A B C D; then draw the diagonals A D and B C; where they cut the curve draw a horizontal line (as at the level E in the figure), and carry it along the range to the vanishing-point, fixing the points where the arches cut their diagonals all along. If the arch is cusped, a line should be drawn at F to


FIG. 64

mark the height of the cusps, and verticals raised at G and H, to determine the interval between them. Any other points may be similarly determined, but these will usually be enough. Figure 63 shows the perspective construction of a square niche of good Veronese Gothic, with an uncusped arch of similar size and curve beyond.

In Fig. 64 the more distant arch only is lettered, as the construction of the nearest explains

itself more clearly to the eye without letters.
The more distant arch shows the general con-
struction for all arches seen underneath, as of
bridges, cathedral aisles, &c. The rectangle
A B C D is first drawn to contain the outside
arch ; then the depth of the arch, A *a*, is deter-
mined by the measuring-line, and the rectangle,
a b c d, drawn for the inner arch.

A *a*, B *b*, &c., go to one vanishing-point ; A B,
a b, &c., to the opposite one.

In the nearer arch another narrow rectangle
is drawn to determine the cusp. The parts
which would actually come into sight are slightly
shaded.

PROBLEM XIV

SEVERAL exercises will be required on this important problem.

I. It is required to draw a circular flat-bottomed dish narrower at the bottom than the top; the vertical depth being given, and the diameter at the top and bottom.


FIG. 65

Let $a\,b$, Fig. 65, be the diameter of the bottom, $a\,c$ the diameter of the top, and $a\,d$ its vertical depth.

Take A D in position equal to $a\,c$.

On A D draw the square A B C D, and inscribe in it a circle.

Therefore, the circle so inscribed has the diameter of the top of the dish.

From A and D let fall verticals, A E, D H, each equal to *a d*.

Join E H, and describe square E F G H, which accordingly will be equal to the square A B C D, and be at the depth *a d* beneath it.

Within the square E F G H describe a square I K, whose diameter shall be equal to *a b*.

Describe a circle within the square I K. Therefore the circle so inscribed has its diameter equal to *a b ;* and it is in the centre of the square E F G H, which is vertically beneath the square A B C D.

Therefore the circle in the square I K represents the bottom of the dish.

Now the two circles thus drawn will either intersect one another, or they will not.

If they intersect one another as in the figure, and they are below the eye, part of the bottom of the dish is seen within it.

To avoid confusion, let us take then two inter-

FIG. 66

secting circles without the enclosing squares, as in Fig. 66.

Draw right lines *a b, c d*, touching both circles externally. Then the parts of these lines which connect the circles are the side of the dish. They are drawn in Fig. 65 without any prolongations, but the best way to construct them is as in Fig. 66.

If the circles do not intersect each other, the

smaller must either be within the larger or not
within it.

If within the larger, the whole of the bottom
of the dish is seen from above, Fig. 67 *a*.

If the smaller circle is not within the larger,
none of the bottom is seen inside the dish, *b*.

If the circles are above instead of beneath the
eye, the bottom of the dish is seen beneath it, *c*.

If one circle is above and another beneath
the eye, neither the bottom nor
top of the dish is seen, *d*. Un-
less the object be very large,
the circles in this case will have
little apparent curvature.

II. The preceding problem is
simple, because the lines of the
profile of the object (*a b* and
c d, Fig. 66) are straight. But
if these lines of profile are
curved, the problem becomes
much more complex; once
mastered, however, it leaves no
farther difficulty in perspective.

Let it be required to draw a
flattish circular cup or vase,
with a given curve of profile.

FIG. 67

The basis of construction is given in Fig. 68,
half of it only being drawn, in order that the eye
may seize its lines easily.

Two squares (of the required size) are first
drawn, one above the other, with a given vertical
interval, A C, between them, and each is divided
into eight parts by its diameters and diagonals.
In these squares two circles are drawn; which
are, therefore, of equal size, and one above the
other. Two smaller circles, also of equal size,
are drawn within these larger circles in the

construction of the present problem ; more may be necessary in some, none at all in others.


FIG. 68

It will be seen that the portions of the diagonals and diameters of squares which are cut off between the circles represent radiating planes, occupying the position of the spokes of a wheel.


FIG. 69

Now let the line A E B, Fig. 69, be the profile of the vase or cup to be drawn.

Enclose it in the rectangle C D, and if any

portion of it is not curved, as A E, cut off the curved portion by the vertical line E F, so as to include it in the smaller rectangle F D.

Draw the rectangle A C B D in position, and upon it construct two squares, as they are constructed on the rectangle A C D in Fig. 68 ; and complete the construction of Fig. 68, making the radius of its large outer circles equal to A D, and of its small inner circles equal to A E.

The planes which occupy the position of the wheel-spokes will then each represent a rectangle of the size of F D. The construction is shown by the dotted lines in Fig. 69 ; c being the centre of the uppermost circle.

Within each of the smaller rectangles between the circles, draw the curve E B in perspective, as in Fig. 69.

Draw the curve x y, touching and enclosing the curves in the rectangles, and meeting the upper circle at y [1].

Then x y is the contour of the surface of the cup, and the upper circle is its lip.

If the line x y is long, it may be necessary to draw other rectangles between the eight principal ones ; and, if the curve of profile A B is complex or retorted, there may be several lines corresponding to x y, enclosing the successive waves of the profile ; and the outer curve will then be an undulating or broken one.

III. All branched ornamentation, forms of flowers, capitals of columns, machicolations of round towers, and other such arrangements of radiating curve, are resolvable by this problem, using more or fewer interior circles according to

[1] This point coincides in the figure with the extremity of the horizontal diameter, but only accidentally.

the conditions of the curves. Fig. 70 is an example of the construction of a circular group of eight trefoils with curved stones. One outer or limiting circle is drawn, within the square E D C F, and the extremities of the trefoils touch it at the extremities of its diagonals and diameters. A smaller circle is at the vertical distance B C below the larger, and A is the angle of the square within which the smaller circle is drawn ; but the square is not given, to avoid con-


FIG. 70

fusion. The stems of the trefoils form drooping curves, arranged on the diagonals and diameters of the smaller circle, which are dotted. But no perspective laws will do work of this intricate kind so well as the hand and eye of a painter.

IV. There is one common construction, however, in which, singularly, the hand and eye of the painter almost always fail, and that is the fillet of any ordinary capital or base of a circular pillar (or any similar form). It is rarely necessary in practice to draw such minor details in perspective ; yet the perspective laws which regulate them should be understood, else the eye does not see their contours rightly until it is very highly cultivated.

Fig. 71 will show the law with sufficient clearness ; it represents the perspective construction

I

of a fillet whose profile is a semicircle, such as
F H in Fig. 60, seen above the eye. Only half
the pillar with half the fillet is drawn, to avoid
confusion.

Q is the centre of the shaft.

P Q the thickness of the fillet, sight-magnitude
at the shaft's centre.

Round P a horizontal semicircle is drawn on
the diameter of the shaft *a b*.

FIG. 71

Round Q another horizontal semicircle is drawn
on diameter *c d*.

These two semicircles are the upper and lower
edges of the fillet.

Then diagonals and diameters are drawn as
in Fig. 68, and, at their extremities, semicircles
in perspective, as in Fig. 69.

The letters A, B, C, D, and E, indicate the
upper and exterior angles of the rectangles in
which these semicircles are to be drawn; but
the inner vertical line is not dotted in the rect-

angle at c, as it would have confused itself with
other lines.

Then the visible contour of the fillet is the
line which encloses and touches [1] all the semi-
circles. It disappears behind the shaft at the
point H, but I have drawn it through to the
opposite extremity of the diameter at *d*.

Turned upside down the figure shows the con-
struction of a basic fillet.

The capital of a Greek Doric pillar should
be drawn frequently for exercise on this four-
teenth problem, the curve of its echinus being
exquisitely subtle, while the general contour is
simple.

---

[1] The engraving is a little inaccurate ; the enclos-
ing line should touch the dotted semicircles at A and B.
The student should draw it on a large scale.

PROBLEM XVI

It is often possible to shorten other perspective operations considerably, by finding the vanishing-points of the inclined lines of the object. Thus, in drawing the gabled roof in Fig. 43, if the gable A Y C be drawn in perspective, and the vanishing-point of A Y determined, it is not necessary to draw the two sides of the rectangle, A′ D′ and D′ B′, in order to determine the point Y′; but merely to draw Y Y′ to the vanishing-point of A A′ and A′ Y′ to the vanishing-point of A Y, meeting in Y′, the point required.

Again, if there be a series of gables, or other figures produced by parallel inclined lines, and retiring to the point v, as in Fig. 72 [1], it is not necessary to draw each separately, but merely to determine their breadths on the line A v, and draw the slopes of each to their vanishing-points, as shown in Fig. 72. Or if the gables are equal in height, and a line be drawn from Y to v, the construction resolves itself into a zigzag drawn alternately to P and Q, between the lines Y v and A v.

The student must be very cautious, in finding the vanishing-points of inclined lines, to notice their relations to the horizontals beneath them,

---

[1] The diagram is inaccurately cut. Y v should be a right line.

else he may easily mistake the horizontal to
which they belong.

FIG. 72

Thus, let A B C D, Fig. 73, be a rectangular
inclined plane, and let it be required to find the
vanishing-point of its diagonal B D.

Find V, the vanishing-point of A D and B C.

Draw A E to the opposite vanishing-point,
so that D A E may represent a right angle.

Let fall from B the vertical B E, cutting A E in E.

Join E D, and produce it to cut the sight-line
in V'.

Then, since the point E is vertically under the
point B, the horizontal line E D is vertically under

the inclined line B D. So that if we now let
fall the vertical V′ P from V′, and produce B D to

FIG. 73

cut V′ P in P, the point P will be the vanishing-
point of B D, and of all lines parallel to it [1].

[1] The student may perhaps understand this con-
struction better by completing the rectangle A D F E,
drawing D F to the vanishing-point of A E, and E F to V.
The whole figure, B F, may then be conceived as re-
presenting half the gable roof of a house, A F the
rectangle of its base, and A C the rectangle of its slop-
ing side.

In nearly all picturesque buildings, especially on
the Continent, the slopes of gables are much varied
(frequently unequal on the two sides), and the vanish-
ing-points of their inclined lines become very impor-
tant if accuracy is required in the intersections of tiling,
sides of dormer windows, &c.

Obviously, also, irregular triangles and polygons
in vertical planes may be more easily constructed by
finding the vanishing-points of their sides, than by the
construction given in the corollary to Problem IX;
and if such triangles or polygons have others concen-
trically inscribed within them, as often in Byzantine
mosaics, &c., the use of the vanishing-points will be-
come essential.

PROBLEM XVIII

Before examining the last three problems it is
necessary that you should understand accurately
what is meant by the position of an inclined plane.

Cut a piece of strong white pasteboard into
any irregular shape, and dip it in a sloped posi-
tion into water. However you hold it, the edge
of the water, of course, will always draw a hori-
zontal line across its surface. The direction of
this horizontal line is the direction of the inclined
plane. (In beds of rock geologists call it their
' strike '.)

Next, draw a semicircle on the piece of paste-
board ; draw its diameter, A B, Fig. 74, and a
vertical line from its centre, C D ; and draw some

FIG. 74

other lines, C E, C F, &c., from the centre to any
points in the circumference.

Now dip the piece of pasteboard again into

water, and, holding it at any inclination and in any direction you choose, bring the surface of the water to the line A B. Then the line C D will be the most steeply inclined of all the lines drawn to the circumference of the circle ; G c and H c will be less steep ; and E c and F c less steep still. The nearer the lines to c D, the steeper they will be ; and the nearer to A B, the more nearly horizontal.

When, therefore, the line A B is horizontal (or marks the water surface), its direction is the direction of the inclined plane, and the inclination of the line D c is the inclination of the inclined plane. In beds of rock geologists call the inclination of the line D c their ' dip '.

To fix the position of an inclined plane, therefore, is to determine the direction of any two lines in the plane, A B and C D, of which one shall be horizontal and the other at right angles to it. Then any lines drawn in the inclined plane, parallel to A B, will be horizontal ; and lines drawn parallel to C D will be as steep as C D, and are spoken of in the text as the ' steepest lines ' in the plane.

But farther, whatever the direction of a plane may be, if it be extended indefinitely it will be terminated, to the eye of the observer, by a boundary line, which, in a horizontal plane, is horizontal (coinciding nearly with the visible horizon) ; in a vertical plane, is vertical ; and, in an inclined plane, is inclined.

This line is properly, in each case, called the ' sight-line ' of such plane ; but it is only properly called the ' horizon ' in the case of a horizontal plane : and I have preferred using always the term ' sight-line ', not only because more comprehensive, but more accurate ; for though

the curvature of the earth's surface is so slight that practically its visible limit always coincides with the sight-line of a horizontal plane, it does not mathematically coincide with it, and the two lines ought not to be considered as theoretically identical, though they are so in practice.

It is evident that all vanishing-points of lines in any plane must be found on its sight-line, and, therefore, that the sight-line of any plane may be found by joining any two of such vanishing-points. Hence the construction of Problem XVIII.

II

DEMONSTRATIONS WHICH COULD NOT CONVENIENTLY BE INCLUDED IN THE TEXT

I

THE SECOND COROLLARY, PROBLEM II

In Fig. 8 omit the lines c d, c′ d′, and d s; and, as here in Fig. 75, from *a* draw *a d* parallel

FIG. 75

to A B, cutting B T in *d*; and from *d* draw *d c* parallel to B c′.

Now as $a\,d$ is parallel to A B:

$$\text{A C}: a\,c :: \text{B C}' : d\,e\,;$$

but A c is equal to B c':

$$\therefore a\,c = d\,e.$$

Now because the triangles $a\,c$ V, $b\,c'$ V, are similar:

$$a\,c : b\,c' :: a\,\text{V} : b\,\text{V}\,;$$

and because the triangles $d\,e$ T, $b\,c'$ T are similar:

$$d\,e : b\,c' :: d\,\text{T} : b\,\text{T}.$$

But $a\,c$ is equal to $d\,e$:

$$\therefore a\,\text{V} : b\,\text{V} :: d\,\text{T} : b\,\text{T}\,;$$

∴ the two triangles $a\,b\,d$, b T V, are similar, and their angles are alternate;

$$\therefore \text{T V is parallel to } a\,d.$$

But $a\,d$ is parallel to A B:

$$\therefore \text{T V is parallel to A B.}$$

THE THIRD COROLLARY, PROBLEM III

In Fig. 13, since a R is by construction parallel to A B in Fig. 12, and T V is by construction in Problem III also parallel to A B :

$$\therefore a \text{ R is parallel to T V,}$$

$\therefore a\, b$ R and T b V are alternate triangles,

$$\therefore a \text{ R} : \text{T V} :: a\, b : b \text{ V.}$$

Again, by the construction of Fig. 13, a R′ is parallel to M V :

$\therefore a\, b$ R′ and M b V are alternate triangles,

$$\therefore a \text{ R}' : \text{M V} :: a\, b : b \text{ V.}$$

And it has just been shown that also

$$a \text{ R} : \text{T V} :: a\, b : b \text{ V;}$$

$$\therefore a \text{ R}' : \text{M V} :: a \text{ R} : \text{T V.}$$

But by construction, a R′ $= a$ R,

$$\therefore \text{M V} = \text{T V.}$$

ANALYSIS OF PROBLEM XV

WE proceed to take up the general condition of the second problem, before left unexamined, namely, that in which the vertical distances B C′ and A C (Fig. 6), as well as the direct distances T D and T D′ are unequal.

In Fig. 6, here repeated (Fig. 76), produce C′ B downwards, and make C′ E equal to C A.

FIG. 76

Join A E.

Then, by the second Corollary of Problem II, A E is a horizontal line.

Draw T V parallel to A E, cutting the sight-line in V.

∴ V is the vanishing-point of A E.

Complete the constructions of Problem II and its second Corollary.

Then by Problem II $a b$ is the line A B drawn in perspective ; and by its Corollary $a e$ is the line A E drawn in perspective.

From V erect perpendicular V P, and produce $a b$ to cut it in P.

Join T P, and from e draw $e f$ parallel to A E, and cutting A T in f.

Now in triangles E B T and A E T, as $e b$ is parallel to E B and $e f$ to A E, $e b : e f :: E B : A E.$

But T V is also parallel to A E and P V to $e b$.

Therefore also in the triangles a P V and a V T,

$$e b : e f :: P V : V T.$$

Therefore P V : V T :: E B : A E.

And, by construction, angle T P V $= \angle$ A E B.

Therefore the triangles T V P, A E B, are similar ; and T P is parallel to A B.

Now the construction in this problem is entirely general for any inclined line A B, and a horizontal line A E in the same vertical plane with it.

So that if we find the vanishing point of A E in V, and from V erect a vertical V P, and from T draw T P parallel to A B, cutting V P in P, P will be the vanishing-point of A B, and (by the same proof as that given at page 24). of all lines parallel to it.

Next, to find the dividing-point of the inclined line.

I remove some unnecessary lines from the last figure and repeat it here, Fig. 77, adding the measuring-line *a* M, that the student may ob-


FIG. 77

serve its position with respect to the other lines before I remove any more of them.

Now if the line A B in this diagram represented the length of the line A B in reality (as A B *does* in Figs. 10 and 11), we should only have to proceed to modify Corollary III of Problem II to this new construction. We shall see presently that A B does not represent the actual length of the inclined line A B in nature, nevertheless we shall first proceed as if it did, and modify our result afterwards.

In Fig. 77 draw *a d* parallel to A B, cutting B T in *d*.

Therefore *a d* is the sight-magnitude of A B, as *a* R is of A B in Fig. 11.

Remove again from the figure all lines except P V, V T, P T, *a b*, *a d*, and the measuring-line.

Set off on the measuring-line *a m* equal to *a d*.

Draw P Q parallel to *a m*, and through *b* draw *m* Q, cutting P Q in Q.

Then, by the proof already given in page 28, P Q = P T.

Therefore if P is the vanishing-point of an

FIG. 78

inclined line A B, and Q P is a horizontal line drawn through it, make P Q equal to P T, and *a m* on the measuring-line equal to the sight-magnitude of the line A B *in the diagram*, and the line joining *m* Q will cut *a* P in *b*.

We have now, therefore, to consider what relation the length of the line A B in this diagram, Fig. 77, has to the length of the line A B in reality.

Now the line A E in Fig. 77 represents the length of A E in reality.

But the angle A E B, Fig. 77, and the corresponding angle in all the constructions of the earlier problems, is in reality a right angle, though in the diagram necessarily represented as obtuse.

Therefore, if from E we draw E C, as in Fig. 79, at right angles to A E, make E C = E B, and join A C, A C will be the real length of the line A B.


FIG. 79

Now, therefore, if instead of *a m* in Fig. 78, we take the real length of A B, that the real length will be to *a m* as A C to A B in Fig. 79.


FIG. 80

And then, if the line drawn to the measuring-line P Q is still to cut *a* P in *b*, it is evident that the line P Q must be shortened in the same ratio that *a m* was shortened; and the true dividing-

K

point will be Q' in Fig. 80, fixed so that Q' P' shall be to Q P as *a m'* is to *a m* ; *a m'* representing the real length of A B.

But *a m'* is therefore to *a m* as A C is to A B in Fig. 79.

Therefore P Q' must be to P Q as A C is to A B.

But P Q equals P T (Fig. 78) ; and P V is to·v T (in Fig. 78) as B E is to A E (Fig. 79).

Hence we have only to substitute P V for E C, and V T for A E, in Fig. 79, and the resulting diagonal A C will be the required length of P Q'.

It will be seen that the construction given in the text (Fig. 46) is the simplest means of obtaining this magnitude, for V D in Fig. 46 (or V M in Fig. 15) = V T by construction in Problem IV. It should, however, be observed, that the distance P Q' or P X, in Fig. 46, may be laid on the sight-line of the inclined plane itself, if the measuring-line be drawn parallel to that sight-line. And thus any form may be drawn on an inclined plane as conveniently as on a horizontal one, with the single exception of the radiation of the verticals, which have a vanishing-point, as shown in Problem XX.

THE END